Bia Diagnostics Samples received Monday -Britishe Steamy troospans

(802) 540-0148 https://www.biadiagnostics.com/ Lic#TLAB0029

Strawberry Diesel

Sample ID: BIA250827S0001 Strain: Strawberry Diesel

Matrix: Plant Type: Flower - Cured Sample Size: 10.83 g

Produced: Collected: Received: 08/27/2025 Completed: 09/04/2025 First Branch



Summary		
Test	Date Tested	Result
Sample		Complete
Cannabi <mark>noids</mark>	08/28/2025	Complete
Moisture	08/27/2025	12.80% - Complete
Water Activity	08/27/2025	0.632 aw - Complete
Terpenes	08/27/2025	Complete
Microbials	09/04/2025	Complete
Pesticides	09/03/2025	Complete

Cannabinoids Completed

19.67%	0.07%	24.29%
17.07%	0.07%	24.27%
Total THC	Total CBD	Total Cannabinoids

Analyte	LOQ	Results	Results	Mass	Analyte	LOQ	Results	Results	Mass
	mg/g	%	mg/g	mg/serving		mg/g	%	mg/g	mg/serving
CBDVa	0.0003	<loq< td=""><td><loq< td=""><td></td><td>CBCVa</td><td>0.0003</td><td><loq< td=""><td><loq< td=""><td></td></loq<></td></loq<></td></loq<></td></loq<>	<loq< td=""><td></td><td>CBCVa</td><td>0.0003</td><td><loq< td=""><td><loq< td=""><td></td></loq<></td></loq<></td></loq<>		CBCVa	0.0003	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
CBDV	0.0003	<loq< td=""><td><loq< td=""><td></td><td>CBNa</td><td>0.0003</td><td><loq< td=""><td><loq< td=""><td></td></loq<></td></loq<></td></loq<></td></loq<>	<loq< td=""><td></td><td>CBNa</td><td>0.0003</td><td><loq< td=""><td><loq< td=""><td></td></loq<></td></loq<></td></loq<>		CBNa	0.0003	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
CBDa	0.0005	0.08	0.8		Δ9-THC	0.0005	0.29	2.9	
CBGa	0.0005	1.29	12.9		Δ8-ΤΗС	0.0003	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
CBG	0.0005	0.11	1.1		Δ10-THC*	0.0002	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
CBD	0.0005	<loq< td=""><td><loq< td=""><td></td><td>CBL</td><td>0.0005</td><td><loq td="" <=""><td><loq< td=""><td></td></loq<></td></loq></td></loq<></td></loq<>	<loq< td=""><td></td><td>CBL</td><td>0.0005</td><td><loq td="" <=""><td><loq< td=""><td></td></loq<></td></loq></td></loq<>		CBL	0.0005	<loq td="" <=""><td><loq< td=""><td></td></loq<></td></loq>	<loq< td=""><td></td></loq<>	
THCV	0.0003	<loq< td=""><td><loq< td=""><td></td><td>CBC</td><td>0.0003</td><td><loq< td=""><td><loq< td=""><td></td></loq<></td></loq<></td></loq<></td></loq<>	<loq< td=""><td></td><td>CBC</td><td>0.0003</td><td><loq< td=""><td><loq< td=""><td></td></loq<></td></loq<></td></loq<>		CBC	0.0003	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
CBLV	0.0003	0.19	1.9		THCa	0.0005	22.10	221.0	
CBCV	0.0003	<loq< td=""><td><loq< td=""><td></td><td>CBCa</td><td>0.0006</td><td>0.16</td><td>1.6</td><td></td></loq<></td></loq<>	<loq< td=""><td></td><td>CBCa</td><td>0.0006</td><td>0.16</td><td>1.6</td><td></td></loq<>		CBCa	0.0006	0.16	1.6	
THCVa	0.0003	0.06	0.6		CBLa	0.0005	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
CBN	0.0005	<loq< td=""><td><loq< td=""><td></td><td>Total THC</td><td></td><td>19.67</td><td>196.70</td><td></td></loq<></td></loq<>	<loq< td=""><td></td><td>Total THC</td><td></td><td>19.67</td><td>196.70</td><td></td></loq<>		Total THC		19.67	196.70	
		-			Total CBD		0.07	0.68	
					Total		24.29	242.88	0.00

Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)

Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These

values are calculated as follows: TotalTHC=(THCAx0.877)+ Δ 9-THC

Total CBD = (CBDA x 0.877) + CBD Reagent

Blanks: < LOQs for all analytes
LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the particular quantity subject to measurement. $\Delta 9$ -THC MU = $\pm 0.005\%$ Total THC MU = $\pm 0.007\%$ All other cannabinoid MU values are available upon request.

All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.

*The result is the sum of delta-10 isomers.



Luke Emerson-Mason

Laboratory Director 09/04/2025

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com





Bia Diagnostics Samples received Monday -Britishe Steamy troospans

(802) 540-0148 https://www.biadiagnostics.com/ Lic#TLAB0029

Strawberry Diesel

Sample ID: BIA250827S0001 Strain: Strawberry Diesel

Matrix: Plant Type: Flower - Cured Sample Size: 10.83 g

Produced: Collected: Received: 08/27/2025 Completed: 09/04/2025 First Branch

Completed **Terpenes**

Analyte	LOQ	Results	Results
	mg/g	mg/g	%
β-Myrcene	0.010	5.471	0.547
α-Pinene	0.010	5.211	0.521
Ocimene	0.010	3.634	0.363
β-Caryophyllene	0.010	2.198	0.220
Limonene	0.010	1.816	0.182
β-Pinene	0.010	1.761	0.176
α-Humulene	0.010	0.672	0.067
Linalool	0.010	0.062	0.006
Camphene	0.010	0.042	0.004
3-Carene	0.010	0.037	0.004
Terpinolene	0.010	0.022	0.002
α-Terpinene	0.010	0.016	0.002
y-Terpinene	0.010	0.015	0.001
α-Bisabolol	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Caryophyllene Oxide	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
cis-Nerolidol	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Eucalyptol	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Geraniol	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Guaiol	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Isopulegol	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
p-Cymene	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
trans-Nerolidol	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Total		20.955	2.095
Aromas			

Primary Aromas











Analyst: 048

LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ

Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS Reagent Blanks: < LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.



Luke Emerson-Mason Laboratory Director

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. All results apply to this sample as received.

09/04/2025



Bia Diagnostics Samples received Monday -Britishe Steamy troospans

(802) 540-0148 https://www.biadiagnostics.com/ Lic#TLAB0029

Strawberry Diesel

Sample ID: BIA250827S0001 Strain: Strawberry Diesel

Matrix: Plant Type: Flower - Cured Sample Size: 10.83 g

Produced: Collected: Received: 08/27/2025 Completed: 09/04/2025

Client First Branch

Completed **Pesticides**

Category 1 Pesticides	LOD	LOQ	Results
	PPM	PPM	PPM
Chlorpyrifos	0.0003	0.0010	ND
Imazalil	0.0003	0.0010	ND
Category 2 Pesticides	LOD	LOQ	Results
	PPM	PPM	PPM
Abamectin	0.0003	0.0010	ND
Acephate	0.001	0.0050	ND
Acequinocyl	0.0003	0.0010	ND
Azoxystrobin	0.00005	0.0010	ND
Bifenazate	0.0001	0.0010	ND
Bifenthrin	0.0001	0.0010	ND
Carbaryl	0.0001	0.0010	ND
Cypermethrin	0.001	0.0050	ND
Etoxazole	0.0001	0.0010	ND
Imidacloprid	0.00005	0.0010	ND
Myclobutanil	0.0001	0.0010	ND
Pyrethrins	0.001	0.0050	ND
Spinosyn A	0.0001	0.0010	ND
Spinosyn D	0.0003	0.0010	ND

Analyst: 049

Pesticides Methodology: Liquid Chromatography with Tandem Mass Spectrometry using PerkinElme QSight® LX50 UHPLC and QSight 220 Mass Spectrometer

LOQ = The lowest quantity this method can reliably quantify. Any pesticides or mycotoxins that were not quantifiable are less than the stated LOQ (<LOQ).

ppm = parts per million

All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter. ND = Not Detected (<LOD)



Luke Emerson-Mason Laboratory Director 09/04/2025

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



Strawberry Diesel

Sample ID: BIA250827S0001 Strain: Strawberry Diesel

Matrix: Plant Type: Flower - Cured Sample Size: 10.83 g

Produced: Collected: Received: 08/27/2025 Completed: 09/04/2025

Client First Branch

Completed **Pathogens**

Pathogens	LOD	Results
	CFU/g	CFU/g
Aspergillus	5	Not Detected
Shiga Toxin E. Coli	5	Not Detected
Salmonella SPP	5	Not Detected

Analyst: 018

Test Methodology: Bio-Rad IQ-Check PCR Kits

cfu/g = colony forming units per gram LOD = The lowest quantity that this method can reliably detect. Any microbial growth that was not detected is assumed to be less than the stated LOD (<LOD).

Reagent Blanks: <LOD for all analytes



Luke Emerson-Mason

All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com

Confident LIMS

